

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37776	(many plural\$6 multipl\$4 two three four\$2 collect\$6 gather\$3) near2 (request\$1 message\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:49
L2	152442	(transtion\$4 restrict\$6 access\$3 reject\$4 approv\$5 disapprov\$3 unallow\$4 allow\$4 authori\$7 authenticat\$4 verified) near3 (state\$1 mode\$1 code\$1 instruction\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:48
L3	13641	l1 and l2	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:49
L4	1127	(account\$3 record\$3 collect\$6 gather\$3) near3 (many plural\$6 multipl\$4 two three four\$2) near2 (request\$1 message\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:55
L5	313	l4 and l2	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:50
L6	6153	l5 (internal\$2 near2 (network\$1 lan wan))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:51
L7	6156	l5 (internal\$4 near2 (network\$1 lan wan))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:52
L8	14070	l7 (external\$4 near2 (network\$1 lan wan))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:52
L9	16	l5 and (internal\$4 near2 (network\$1 lan wan))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:56
L10	3	l9 and (external\$4 near2 (network\$1 lan wan))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:52
L11	266	(account\$3 record\$3 collect\$6 gather\$3) near3 (many plural\$6 multipl\$4 two three four\$2) near2 (request\$1)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:55
L12	82	l2 and l11	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:55
L13	233	l5 and (firewall\$1 gateway\$1 network\$1 lan wan)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:56
L14	64	l12 and (firewall\$1 gateway\$1 network\$1 lan wan)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:56
L15	2205	(packet\$4 datagram\$1) near2 (filter\$3)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:57
L16	2	l14 and l15	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:57

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3964	((380/228) or (380/268) or (380/277-278) or (380/281-285) or (380/28-30) or (726/2-5) or (726/26-30)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L2	1204	(user\$1 client\$1 grantee\$1) near2 (private secret\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L3	358	(sender\$1 grantor's) near2 (private secret\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L4	62	L1 and L2 and L3	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L5	27	L4 and (unencrypt\$6 un-encrypt\$6 uncipher\$7 un-cipher\$8 unencipher\$7 un-encipher\$7)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L6	1073	( undecrypt\$6 un-decrypt\$6 undecipher\$7 un-decipher\$7 (remain\$4 not\$1) near3 (encrypt\$6 cipher\$7 encipher\$7))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L7	1073	( undecrypt\$6 un-decrypt\$6 undecipher\$7 un-decipher\$7 ((remain\$4 not\$1) near3 (encrypt\$6 cipher\$7 encipher\$7)))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L8	320	L1 and L7	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L9	8	L2 and L3 and L8	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L10	409	(sender\$1 grantor's) near2 (public\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L11	163	L2 and L10	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L12	19	L7 and L11	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L13	555	( undecrypt\$6 un-decrypt\$6 undecipher\$7 un-decipher\$7 ((remain\$4 not\$1) near3 (decrypt\$6 decipher\$7)))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L14	14	L10 and L13	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L15	7	L14 and L2	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L16	14	L10 and L13	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35

## EAST Search History

L17	516	( undecrypt\$6 un-decrypt\$6 undecipher\$7 un-decipher\$7 ((remain\$1) near3 (encrypt\$6 encipher\$7 cipher\$7)))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L18	862	(message\$1 packet\$1 datapacket\$1 data-gram\$1 datagram\$1) near2 (public\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L19	22	L17 and L18	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L20	1	L19 and L2 and L3	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L21	22	L19 and ((private\$1 secret\$1) near2 key\$)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L23	196	hash\$7 near3 (password\$2 passphrase\$1 passcode\$2)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L24	123	hash\$7 near3 (timestamp\$3 time-stamp\$3 (time near2 stamp\$3))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L25	1	L23 and L24	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L26	4	hash\$7 near3 (password\$2 passphrase\$1 passcode\$2) near4 (timestamp\$3 time time-stamp\$3 (time near2 stamp\$3))	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35
L27	56	L24 and (password\$2 passphrase\$1 passcode\$2)	USPAT; IBM_TDB	OR	OFF	2006/05/23 16:35